

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services - Water Resources Department- Allegation of Corruption against Sri Akula Prakash, Asst. Executive Engineer, Vaddadi Section, Chodavaram Sub-Division, Visakhapatnam district – Departmental proceedings initiated under Rule 20 of the A.P.Civil Services (CC&A) Rules,1991 – Sri V.Balasuryam, Executive Engineer, Narsipatnam Division appointed as Enquiry Officer in place of Sri. A. Trinadham, Executive Engineer, WSM, Chodavaram – Orders –Issued

WATER RESOURCES(VIG.I) DEPARTMENT

G.O.RT.No. 562

Dated: 16-10-2025

Read the following:

1. From the Director General, Anti Corruption Bureau, Lr.Rc.No.17-RCT-WVP/2018-S.11, Dated.09.10.2024.
2. G.O.Rt.No.377, WR(Vig.I) DEPT., Dt.25.10.2024.
3. From Sri A.Prakash, Assistant Executive Engineer, Written Statement of Defence, dt.20.12.2024.
4. G.O.Rt.No.322, WR(Vig.I) DEPT., Dt.23.06.2025.
5. From the ENC(AW),WRD, Vijayawada Lr.No. ECAD-22023/58/2024-H SEC-ECADMIN Dt: 14.08.2025

ORDER:

Whereas in the G.O.2nd read above, disciplinary proceedings were initiated against Sri Akula Prakash, the then Asst. Executive Engineer, Vaddadi Section, Chodavaram Sub-Division, Visakhapatnam District on the Allegation of Corruption.

2. And whereas, In the reference 4th read above, orders were issued appointing Sri. A. Trinadham, Executive Engineer, WSM, Chodavaram as an Enquiry Officer in this case.

3. Whereas, in the reference 5th read above, ENC(AW), WRD, Vijayawada has stated that Sri A.Trinadham, EE in his representation has submitted for exemption of him as an Inquiry Officer for the above case, citing that "the alleged incident took place within his jurisdiction and the above charged officer is currently working under his control".

4. Now therefore, in exercise of the powers conferred under Rule-9 of A.P. Revised Pension Rules, 1980 read with sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules 1991, the disciplinary authority hereby appoints Sri V.Balasuryam, Executive Engineer, Narsipatnam Division as Enquiry Officer in place of Sri. A. Trinadham, Executive Engineer, WSM, Chodavaram.

(PTO)

:: 2 ::

5. The Inquiring Authority is requested to conduct inquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 and submit report within Two (2) months.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT**

To

Sri V.Balasuryam, Executive Engineer, Narsipatnam Division
(through the Engineer-in-Chief(AW), Water Resources Department,
Vijayawada.

Sri P.Srinivasa Rao, Inspector of Police, ACB, Visakhapatnam,
(through the Director General, Anti Corruption Bureau, Vijayawada)

The Engineer-in-Chief(AW), Water Resources Department, Vijayawada.

The Director General, Anti Corruption Bureau, Vijayawada.

Sri A.Trinadham, Executive Engineer, WSM, Chodavaram.

(through the Engineer-in-Chief(AW), Water Resources Department,
Vijayawada

SC/SF.

//FORWARDED::BY ORDER//

SECTION OFFICER